

United States Patent and Trademark Office

CNITED STATES DEPARTMENT OF COMMERCE Enited States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

| APPLICATION NO | . [| FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--------------------|------------|---------------|----------------------|---------------------|------------------|
| 10/605,241 | 09/17/2003 | | Gilbert Farmer | 121441-7 | 3295 |
| 30952 | 7590 | 09/09/2004 | | EXAMINER | |
| HARTMA 552 EAST | | HARTMAN, P.C. | MCNEIL, JENNIFER C | | |
| VAIPARA | | | | ART UNIT | PAPER NUMBER |
| | | | | 1775 | |
| | | | | | |

DATE MAILED: 09/09/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | | | | | |
|---|---|---|--|--|--|--|--|
| | 10/605,241 | FARMER ET AL. | | | | | |
| Office Action Summary | Examiner | Art Unit | | | | | |
| | Jennifer C McNeil | 1775 | | | | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply | | | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailining date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | 36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE | ely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133). | | | | | |
| Status | | | | | | | |
| 1)⊠ Responsive to communication(s) filed on <u>18 Ju</u> | Responsive to communication(s) filed on <u>18 June 2004</u> . | | | | | | |
| 2a)⊠ This action is FINAL . 2b)□ This | action is non-final. | | | | | | |
| 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. | | | | | | | |
| Disposition of Claims | | | | | | | |
| 4) ☐ Claim(s) 1-9,11 and 12 is/are pending in the ap 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-9,11,12 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or | vn from consideration. | | | | | | |
| Application Papers | | | | | | | |
| 9) The specification is objected to by the Examine | r. | | | | | | |
| 10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner. | | | | | | | |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | | | |
| Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex | | | | | | | |
| Priority under 35 U.S.C. § 119 | | | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | | | |
| | | | | | | | |
| Attachment(s) | _ | | | | | | |
| 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date | 4) | e | | | | | |

Art Unit: 1775

DETAILED ACTION

Claim Rejections - 35 USC \$ 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-10, and 12 are rejected under 35 U.S.C. 102(b) as being anticipated by Camm et al (US 6,004,620). Camm teaches a method of unblocking an obstructed cooling passage. Application of coating (28) often results in an undesirable accumulation (30) of the coating material within and over the cooling holes (16). Using a high-pressure water jet (38), water is directed at the holes at a pressure between about 10,000-60,000 psi. This results in substantially no machining of the metal of the uncoated exterior surface of the walls (44). The component has first and second surfaces on either side of the wall (44) as shown in Figure 2. Regarding the method limitations of the claims, i.e. jet with non-abrasive media, nozzle pressure, direction of jet, are not considered to structurally limit the structure over the prior art of record. "[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process.", (In re Thorpe, 227 USPQ 964,966). Once the Examiner provides a rationale tending to show that the claimed product appears to be the same or similar to that of the prior art,

although produced by a different process, the burden shifts to applicant to come forward with evidence establishing an unobvious different between the claimed product and the prior art product (*In re Marosi*, 710 F.2d 798, 802, 218 USPQ 289, 292 (Fed. Cir. 1983), MPEP 2113).

It is the examiner's position that the method of Camm would result in a through-hole with a deburred and smoothed surface as the water jet is applied at a pressure strong enough to remove the deposits while preserving the integrity of the component walls.

Regarding claim 2, the coating is a ceramic coating.

Regarding claim 3, the process limitation is not considered to define over the prior art. However, Camm does teach deposition of the ceramic by plasma spray.

Regarding claim 4, the hole intersects the first and second surfaces of the component.

Regarding claims 5, 9, and 10, the water does not contain any abrasive materials and the means by which the smoothness is accomplished is not considered to structurally define over the prior art.

Regarding claims 6, 7, and 12 it is the examiner's position that the discharge coefficient of the holes of Camm would possess these characteristics as the process of removing the deposits is substantially commensurate with that of the applicant, in that there is no abrasive used, and the force used is sufficient for removal of the deposits but not damaging the metal substrate.

Claims 1-12 are rejected under 35 U.S.C. 102(a) as being anticipated by Farmer et al (EP 1103627A2). Farmer teaches a method for removing a bond coat and thermal barrier coating from holes without removing metal from the component substrate. A fluid jet substantially free of solid particles is used at a pressure of between about 5000 to about 50,000 psi. The component has first and second surfaces on either side of the wall (10) as shown in Figure 6. Regarding the method limitations of the claims, i.e. jet with non-abrasive media, nozzle pressure, direction of jet, are not considered to structurally limit the structure over the prior art of record. "[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself.

Art Unit: 1775

The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process.", (In re Thorpe, 227 USPQ 964,966). Once the Examiner provides a rationale tending to show that the claimed product appears to be the same or similar to that of the prior art, although produced by a different process, the burden shifts to applicant to come forward with evidence establishing an unobvious different between the claimed product and the prior art product (*In re Marosi*, 710 F.2d 798, 802, 218 USPQ 289, 292 (Fed. Cir. 1983), MPEP 2113).

It is the examiner's position that the method of Farmer would result in a through-hole with a deburred and smoothed surface as the water jet is applied at a pressure strong enough to remove the deposits while preserving the integrity of the component walls.

Regarding claim 2, the coating includes a ceramic coating.

Regarding claim 3, the process limitation is not considered to define over the prior art. However, Farmer does teach deposition of the ceramic by plasma spray.

Regarding claim 4, the hole intersects the first and second surfaces of the component.

Regarding claims 5, 9, and 10, the fluid is water and does not contain any abrasive materials and the means by which the smoothness is accomplished is not considered to structurally define over the prior art.

Regarding claim 11, the component may be a combustion liner.

Regarding claims 6, 7, and 12 it is the examiner's position that the discharge coefficient of the holes of Farmer would possess these characteristics as the process of removing the deposits is substantially commensurate with that of the applicant, in that there is no abrasive used, and the force used is sufficient for removal of the deposits but not damaging the metal substrate.

Art Unit: 1775

Claims 1-12 are rejected under 35 U.S.C. 102(e) as being anticipated by Fehrenbach et al (US 6,368,060). Fehrenbach teaches removal of surface irregularities and discontinuities from cooling holes after coating depositions. Smooth transitions can be achieved by using a high-pressure fluid stream. The fluid stream is targeted at the hole and is pressurized to at least about 200 bar, and may contain an abrasive grit.

Regarding the method limitations of the claims, i.e. jet with non-abrasive media, nozzle pressure, direction of jet, are not considered to structurally limit the structure over the prior art of record. "[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process.", (In re Thorpe, 227 USPQ 964,966). Once the Examiner provides a rationale tending to show that the claimed product appears to be the same or similar to that of the prior art, although produced by a different process, the burden shifts to applicant to come forward with evidence establishing an unobvious different between the claimed product and the prior art product (*In re Marosi*, 710 F.2d 798, 802, 218 USPQ 289, 292 (Fed. Cir. 1983), MPEP 2113).

It is the examiner's position that the method of Fehrenbach would result in a through-hole with a deburred and smoothed surface as the water jet is applied at a pressure strong enough to remove the deposits and obtain smooth transitions by eliminating irregularities and discontinuities.

Regarding claim 2, the coating includes a ceramic coating.

Regarding claim 3, the process limitation is not considered to define over the prior art. However, Fehrenbach does teach deposition of the ceramic by plasma spray.

Regarding claim 4, the hole intersects the first and second surfaces of the component.

Regarding claims 5, 9, and 10, the fluid is water, and the means by which the smoothness is accomplished is not considered to structurally define over the prior art.

Art Unit: 1775

Regarding claim II, the component may be a combustion liner.

Regarding claims 6, 7, and 12 it is the examiner's position that the discharge coefficient of the holes of Fehrenbach would possess these characteristics as the process of removing the deposits results in a smooth surface of the cooling holes.

Response to Arguments

Applicant's arguments filed June 18, 2004 have been fully considered but they are not persuasive. Applicant argues that each of the 102 references is cited as treating a cooling hole with a media free water jet and according to the treatments performed by these references would not result in holes with the characteristics as instantly claimed. Applicant refers to paragraph 38 and Figure 6 of the instant specification for support. Paragraph 38 refers to comparative examples in which a cooling hole is treated with methods different from applicant's specifications. These arguments are not persuasive.

Camm teaches use of a high-pressure water jet with pressure of between about 10,000-60,000 psi. Applicant has not shown that the cooling holes of Camm would not possess the characteristics claimed by applicant. The comparative testing performed by applicant is not commensurate with the methods used by Camm.

Farmer teaches a fluid jet substantially free of solid particles at a pressure of between about 5000 to about 50,000 psi. Applicant has not shown that the cooling holes of Farmer would not possess the characteristics claimed by applicant. The comparative testing performed by applicant is not commensurate with the methods used by Farmer.

Fehrenbach teaches removal of surface irregularities using a fluid stream pressurized to at least about 200 bar and may contain abrasive grit. Applicant has not shown that the cooling holes of Fehrenbach would not possess the characteristics claimed by applicant. The comparative testing performed by applicant is not commensurate with the methods used by Fehrenbach.

Art Unit: 1775

Conclusion

THIS ACTION IS MADE FINAL Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer C McNeil whose telephone number is 571-272-1540. The examiner can normally be reached on 9AM-6PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Deborah Jones can be reached on 571-272-1535. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

-Jennifer McNeil Primary Examiner